


Traditional HS Sliding Patio Door Cill Extension Options



| DIMENSIONS | PLOT SIZE | SCALE | DATE | REV | DWG NO. |
|------------|-----------|-------|------------|-----|-------------|
| MM | A4 | 1:1 | 25.09.2019 | B | 4101 |

Please consider the environment before printing





Traditional HS Sliding Patio Door Bar Options

| DIMENSIONS | PLOT SIZE | SCALE | DATE | REV | DWG NO. |
|---|-----------|-------|------------|-----|-------------|
| MM | A4 | 1:1 | 01.01.2019 | C | 4102 |
| Please consider the environment before printing | | | | | |



Traditional HS Sliding Patio Door
Frame Head Fixed Leaf (Without Vent)

| DIMENSIONS | PLOT SIZE | SCALE | DATE | REV | DWG NO. |
|---|-----------|-------|------------|-----|-------------|
| MM | A3 | 1:1 | 15.10.2018 | B | 4103 |
| Please consider the environment before printing | | | | | |





Bereco

**Traditional HS Sliding Patio Door
Frame Head Fixed Leaf (With Vent)**

| DIMENSIONS | PLOT SIZE | SCALE | DATE | REV | DWG NO. |
|------------|-----------|-------|------------|-----|---------------|
| MM | A3 | 1:1 | 05.07.2022 | C | 4103.1 |



Please consider the environment before printing



Traditional HS Sliding Patio Door Frame Head Opening Leaf



| DIMENSIONS | PLOT SIZE | SCALE | DATE | REV | DWG NO. |
|------------|-----------|-------|------------|-----|-------------|
| MM | A3 | 1:1 | 15.10.2018 | B | 4104 |

Please consider the environment before printing



**Traditional HS Sliding Patio Door
Frame Jamb Fixed Leaf**



| DIMENSIONS | PLOT SIZE | SCALE | DATE | REV | DWG NO. |
|---|-----------|-------|------------|-----|-------------|
| MM | A3 | 1:1 | 15.10.2018 | B | 4105 |
| Please consider the environment before printing | | | | | |



**Traditional HS Sliding Patio Door
Frame Jamb Opening Leaf**



| DIMENSIONS | PLOT SIZE | SCALE | DATE | REV | DWG NO. |
|------------|-----------|-------|------------|-----|-------------|
| MM | A3 | 1:1 | 15.10.2018 | B | 4106 |

Please consider the environment before printing



Traditional HS Sliding Patio Door Meeting Rail



| DIMENSIONS | PLOT SIZE | SCALE | DATE | REV | DWG NO. |
|---|-----------|-------|------------|-----|-------------|
| MM | A3 | 1:1 | 15.10.2018 | B | 4111 |
| Please consider the environment before printing | | | | | |



Traditional HS Sliding Patio Door Mullion



| DIMENSIONS | PLOT SIZE | SCALE | DATE | REV | DWG NO. |
|------------|-----------|-------|------------|-----|-------------|
| MM | A3 | 1:1 | 15.10.2018 | B | 4112 |

Please consider the environment before printing



**Traditional HS Sliding Patio Door
Flying Mullion**

| DIMENSIONS | PLOT SIZE | SCALE | DATE | REV | DWG NO. |
|---|-----------|-------|------------|-----|-------------|
| MM | A3 | 1:1 | 15.10.2018 | B | 4114 |
| Please consider the environment before printing | | | | | |





CILL EXTENSION - available options: 25mm (215mm o/a) / 47mm (237mm o/a) / 62mm (252mm o/a) / 87mm (277mm o/a) / 114mm (304mm o/a) / 125mm (315mm o/a) / 140mm (330mm o/a)
NOTE: Cill Extensions should be supported from underneath; the maximum overhang over Brick / Blockwork for cill extension should not exceed 25mm in order to avoid damage when stepped on. Warranties are invalidated when fitted with overhang in excess to that.



**Traditional HS Sliding Patio Door
 Thresh Opening Leaf**

| DIMENSIONS | PLOT SIZE | SCALE | DATE | REV | DWG NO. |
|---|-----------|-------|------------|-----|-------------|
| MM | A3 | 1:1 | 15.10.2018 | B | 4108 |
| Please consider the environment before printing | | | | | |



CILL EXTENSION - available options: 25mm (215mm o/a) / 47mm (237mm o/a) / 62mm (252mm o/a) / 87mm (277mm o/a) / 114mm (304mm o/a) / 125mm (315mm o/a) / 140mm (330mm o/a)

NOTE: Cill Extensions should be supported from underneath; the maximum overhang over Brick / Blockwork for cill extension should not exceed 25mm in order to avoid damage when stepped on. Warranties are invalidated when fitted with overhang in excess to that.



Traditional HS Sliding Patio Door Thresh Fixed Leaf

| DIMENSIONS | PLOT SIZE | SCALE | DATE | REV | DWG NO. |
|---|-----------|-------|------------|-----|-------------|
| MM | A3 | 1:1 | 15.10.2018 | B | 4110 |
| Please consider the environment before printing | | | | | |