

BERECO PAINT & STAIN FACTORY APPLIED COATING SPECIFICATION

Specification

Manufacturer

Bereco

www.bereco.co.uk

01709 838188

Product Ref

Teknos water borne factory applied coating system

Surfaces

Factory finished by manufacturer

Coatings

Coating	Painted - Softwood	Painted - Hardwood	Stained - Softwood	Stained - Hardwood
Preservative	GORI 356	GORI 356	GORI 356	GORI 356
Basecoat	AQUAPRIMER 5200-01	AQUAPRIMER 5200-01	AQUAPRIMER 2900	AQUAPRIMER 2900
Intermediate Coat	ANTISTAIN AQUA 5200-00	ANTISTAIN AQUA 2901-52	TEKNOTOP 2981-01	ANTISTAIN AQUA 2901-62
Top Coat	AQUATOP 2600	AQUATOP 2600	AQUATOP 2600	AQUATOP 2600

Colours

Standard Paint Colours	Exclusive Paint Colours	Standard Stain Colours	
Any RAL Colour	Parlor	Light Pine	Oak
Any BS Colour	Linen	Pine	Rich Mahogany
Any NCS Colour	Parchment	Antique Pine	Walnut
Farrow & Ball Match	French Green	Afromosia	Mahogany
	London Dust	Chestnut	Teak
	Smoke	Light Chestnut	Cherry
		Light Mahogany	Dark Oak
		Light Cherry	Rosewood



Bereco, Unit 5, Aspen Court,
Centurion Business Park, Rotherham,
South Yorkshire, S60 1FB.

+44 (0) 1709 838188
www.bereco.co.uk
enquiries@bereco.co.uk

FACT SHEET FOR GORI 356

Treated Items

**This item has been treated with wood preservative:
(Regulated by the Biocides Regulation 528/2012, PT8)**

GORI 356

a) Items treated with GORI 356 contain:

Biocides approved for product type 8

b) Items treated with GORI 356 are protected against:

Wood destroying or discolouring fungi

c) Items treated with GORI 356 contain the following biocides:

Propiconazole, Tebuconazole, IPBC

**d) Items treated with GORI 356 contain the following
nanomaterials:**

N/A

The wood preservative GORI 356 is produced by:

Teknos A/S
Industrivej 19
DK-6580 Vamdrup
Tel.: +45 76 93 94 00

e) Special precautions for items treated with GORI 356:

In order to protect aquatic organisms, do not use the treated wood near the aquatic environment (rivers, streams, lakes etc.). The surface of the wood must be coated with e.g. varnish or paint. Coating of the surface must be carried out at regular intervals.

To : **Bereco Ltd.**
Unit 5 Aspen Court
Centurion Business Park
Rotherham
South Yorkshire
S60 1FB

From: **Teknos Sp. z o.o.**
ul. Księcia Ziemowita 59
03-885 Warszawa

Pages: 1

Date: 13.07.2017

Ref. **Information concerning volatile organic substances in Teknos waterbased products for joinery surface coating**

Dear Sirs

General information concerning Teknos products for joinery surface coatings.

All Teknos paint products supplied to M&S Okna for Bereco are waterbased , therefore:

- 1/ There are no volatile organic substances in our coating systems
- 2/ Water is the only solvent and it evaporates totally in the hardening process
- 3/ All Teknos products are free of heavy metals
- 4/ All Teknos coating systems are compliant with EN71/3.

Robert Boiński
Commercial Director IWE
Teknos Sp. z o.o.

Spółka wpisana do rejestru przedsiębiorców,
prowadzonego przez Sąd Rejonowy
dla m. st. Warszawy w Warszawie
XIII Wydział Gospodarczy Krajowego
Rejestru Sądowego pod numerem
KRS 0000052214
Wysokość kapitału zakładowego 13 164 500,00 zł
NIP: 522-16-70-517
REGON: 012307918

TEKNOS Sp. z o.o.

ul. Ks.Ziemowita 59
03-885 WARSZAWA
Polska

tel.: (22) 67 87 004
fax: (22) 67 87 995

Danske Bank A/S S.A. Oddział w Polsce
26 2360 0005 0000 0045 5025 1923

e-mail: biuro@teknos.pl
www.teknos.pl
