





SUSTAINABLE. SECURE. FUNCTIONAL. BEAUTIFUL.

New windows and doors are an investment one which will not only look great adding significant kerb appeal but that will add value to your home.

One of the biggest benefits of choosing timber windows and doors is that they can be customised but with so many options to choose from it can be hard to know where to start.

At Bereco we don't impose standards on you; there are no standard sizes, designs or colours because we understand that you and your home are unique.

Our Choose Your Style brochure has been designed to guide you through making these choices and designing the windows that are right for you and your property. Inside you will find details of our window and door styles along with a step by step finishing guide.



Contents

Our World, Your Home	
Our Warranties	
Casement Windows	
lush Casement	
ipped Casement	
Casement Details	
Casement Sections	
liding Sash Windows	
liding Sash Spiral Balance	
liding Sash Cords & Weights	
liding Sash Details	
liding Sash Sections	
intrance Doors	
Creative Doors	
rench Doors	
lush French Doors	
ipped French Doors	
intrance & French Door Sections	
intrance & French Door Details	
intrance & French Door Ironmongery	,
our Choice Matters	
Choose Your Timber	,
Choose Your Glazing	
Choose Your Mouldings & Bars	
Choose Your Finish	
Customise With Glazing & Bars	•
inishing Touches	
Our Showroom	

Choose Your Style | Our World, Your Home

REDUCING YOUR CARBON FOOTPRINT

300 billion tons of carbon are stored in our forests across the world. When harvested to make wooden windows and doors the wood retains the carbon store making them carbon negative. You can reduce your carbon footprint by 160kgs CO2e* for every Bereco timber window and door you buy rather than a uPVC window or door.

HELPING THE WORLDS FORESTS TO GROW

Bereco make a conscious choice to supply our wooden windows and doors made from nothing but FSC® 100% or 100% PEFC Origin timber. This ensures that our products help in the fight against deforestation.

INVEST IN YOUR HOME

Timber windows have the lowest lifetime cost in comparison to uPVC windows, with a life expectancy of around 60 years compared to just 25-35 years* from uPVC.

ENERGY EFFICIENT

Our energy saving window and door designs and high performance glazing give u values that are up to 82% better than the current building regulations meaning the average 3 bedroom home can save the equivalent of £212 on heating bills each year.

YOUR HEALTH AND WELLBEING

With exposure to noise over long periods of time being been linked to health issues such as heart disease and dementia the noise rating should not be overlooked. Our windows with 24mm double glazing offer a sound reduction of 33dB and our specially designed acoustic double glazed units offer sound reduction of up to 42dB, ideal for properties with traffic noise or that are close to an airport.



YOU DON'T HAVE TO COMPROMISE ON STYLE TO BE SECURE

Bereco timber windows and doors come with enhanced security features built in as standard. Home insurance approved multipoint espagnolette locking and Neighbourhood Watch approved ERA Fortress door cylinders make ours some of the most secure wooden windows and doors on the market today.

BEAUTIFULLY BESPOKE

Bespoke timber windows and doors from Bereco can be tailored to suit the style and design of your home. Choose from our range of mouldings and bar designs, stylish handles and fasteners in a range of 10 colours with factory applied paint or stain finishes including dual colour finishes that will transform your home.

COMPLETE PEACE OF MIND

All Bereco timber windows and doors come with a manufacturer's warranty. We are so confident in the quality of our windows and doors and our factory finishing that we give a warranty on our timber for 30 years and even offer a 10 year warranty against defects in manufacturing and factory finishes.

DON'T JUST TAKE OUR WORD FOR IT

To maintain such high standards of quality we undergo annual testing of our windows and doors audited by third party certification body Bluesky Certification. Schemes covering our products' weather performance, security, manufacturing, paint application, and the material sourcing offer a level of confidence in what you are buying that you simply cannot get anywhere else.

GUARANTEED LEAD TIMES

We guarantee delivery of our wooden windows and doors in 6-8 weeks all year round. Our state of the art production facility is supported by a dedicated sawmill with timber lamination line and glass plant manufacturing our more common types of sealed units ensuring we are in complete control of the key elements needed to meet the deadlines of our customers.























All warranties must be registered at berecowarranties.co.uk







The confidence to offer our warranties comes from our commitment to certification and testing with third party UKAS accredited Bluesky Certification. They annually audit both our products and our production processes for complete peace of mind that your window and doors will stand the test of time.














Our beautifully crafted timber casement windows are available in both flush and lipped (stormproof) designs.

They are internally glazed with easy clean friction hinges and home insurance approved multi-point locking mechanisms, making them the pinnacle of home security.

Whether renovating a country cottage or modernising a family home, a casement window will enhance its character.



Uw Values from 1.2W/m²K (double glazing)



Wind Load 2400 Pa Tested to perform against winds of 136mph



Water Tightness 400 Pa Tested to withstand driving rain at 55mph

FLUSH CASEMENT

Traditional | Heritage

Choose Your Style

Design

Flying mullion (fire escape)

Mechanism

Maco Rail espagnolette for enhanced security

Hinge

Easy clean friction with built in restrictor 90° Egress (fire escape) Hinges to fixed sashes for easy installation

Accessories

Casement stays
Auto-latch restrictors

Bars

Traditional: 16mm (lambs tongue) 25mm, 35mm (ovolo), 48mm (solid) Heritage: 16mm, 25mm, 35mm (lambs tongue), 48mm (solid) See pages 36-37 for more info

Vents

Frame head - 4300 EA

Cills

Extensions: 25mm, 47mm, 62mm, 87mm, 100mm, 114mm, 125mm, 140mm Solid sub-cill: 112mm, 134mm, 149mm Sub-cill + extension: (25mm - 140mm)

Glazing







*Only available on Heritage Range

Uw Range 0.9-1.4 W/m²K



Bereco Flush Casement Features

Flush Sash

An authentic finish is created by the sash sitting completely flush with external frame.

√ 78mm Deep Bottom Rail

A deep bottom sash rail ensures a characterful appearance in keeping with classic flush casements.

Slim Sections

Designed with 56mm sash sightlines to create an authentic finish and maximise glazing and natural light.

Maco Inline Espagnolette

A multi-point espagnolette with adjustable locking cams.

Dummy Sashes

A dummy sash to non-opening lights provides symmetry.

Easy Clean Friction Hinge

Opening to 60° this modern style hinge allows easy cleaning of the sash from the inside.

Secure Night Vent Position

A secure night vent position allows the sash to be locked in a slightly open position allowing ventilation.

An 87mm cill extension as standard provides 179mm from front to back. Includes internal window board groove.

Traditional handles in a range of timeless finishes. (see page 12)

LIPPED CASEMENT

Traditiona

Choose Your Style

Design

Flying mullion (fire escape)

Mechanism

Maco Rail for enhanced security

Hinges

Easy clean friction with built in restrictor 90° Egress (fire escape) Hinges to fixed sashes for easy installation

Accessories

Casement stays Auto-latch restrictors

Bars

16mm (lambs tongue)
25mm, 35mm (ovolo)
48mm (solid)
See pages 36-37 for more info

Vents

Frame head - 4300 EA

Cills

Extensions: 25mm, 47mm, 62mm, 87mm, 100mm, 114mm, 125mm, 140mm Solid sub-cill: 93mm, 115mm, 130mm Sub-cill + Extension: (25mm - 140mm).

Glazing









ole Acoust

Uw Range

 $0.9 - 1.4 \text{ W/m}^2\text{K}$



Bereco Traditional Lipped Casement Features

Lipped Sash

A modern stormproof finish, the sash lips over the outside edge of the frame.

⊘ Slim Sections

Designed with 68mm sash sightlines to create an authentic finish and maximise glazing and natural light.

Oummy Sashes

A dummy sash to non-opening lights provides symmetry.

✓ Maco Inline Espagnolette

A multi-point espagnolette with adjustable locking cams.

Easy Clean Friction Hinge

Opening to 60° this modern style hinge allows easy cleaning of the sash from the inside.

Secure Night Vent Position

A locking handle with secure night vent position allows the sash to be locked in a slightly open position allowing ventilation.

✓ 160mm Cill

An 87mm cill extension as standard provides 160mm from front to back. Includes internal window board groove.

⊘ High Quality Handles

Traditional handles in a range of timeless finishes. (see page 12)

Image Shows: Traditional Lipped Casement | Easy Clean Hinge 16mm Lambs Tongue Bar | Antique Black Monkey Tail Handle + Stay.

LIPPED CASEMENT

Contemporary

Choose Your Style

Design

Flying mullion (fire escape)

Dummy sashes for fixed lights

Hinge

Easy clean friction with built in restrictor 90° Egress (fire escape)

Accessories

Auto-latch restrictor

Bars

16mm, 25mm, 35mm (pencil round) 60mm (solid) See pages 36-37 for more info

Vent

Frame head - 4300 EA

Cills

Extensions: 25mm, 47mm, 62mm, 87mm, 100mm, 114mm, 125mm, 140mm

Glazing







Double

Triple A

Uw Range

0.9 - 1.4 W/m²K



Bereco Contemporary Lipped Casement Features

Lipped Sash

A modern stormproof finish, the sash lips over the outside edge of the frame.

Modern Aesthetic

Striking 80mm sash sightlines are perfect for creating a modern aesthetic.

Fixed Lights (Direct Glazed)

Fixed lights to non openers as standard with optional dummy sashes to create symmetry.

Siegenia Espagnolette

A multi-point espagnolette with adjustable locking cams.

Easy Clean Friction Hinge

Opening to 60° this modern hinge allows easy cleaning of the sash from the inside.

✓ 155mm Cill

An 87mm cill extension as standard provides 155mm from front to back. Includes internal window board groove.


High Quality Handles

Connoisseur and bulb end handles in a choice of 10 finishes. (see page 12)

Casement Details

Popular Styles

A selection of popular bar patterns



Bespoke Styles

A selection of popular bespoke styles





Curved Head Curved Plate







Mock Sliding Sash

Regency Casement


Casement Sections


Contemporary Lipped Casement








Traditional Lipped Casement














Heritage Flush Casement





Traditional Flush Casement




















Casement Handles & Stays





Monkey Tail Stay | Antique Black

Bulb End Contemporary, Traditional & Heritage | Locking, Non-Locking







*Stay not available on Contemporary Casement Windows


Connoisseur


Contemporary, Traditional & Heritage | Locking, Non-Locking



Round Bar Traditional & Heritage | Locking, Non-Locking











Bereco sliding sash windows have been designed to include traditional features whilst incorporating modern operation, technology and energy efficiency. Available in either spiral balance or cords and weights with an exclusive collection of decorative horns and elegant sash fittings.

Whether you are renovating a Victorian townhouse or an Edwardian cottage you will find a sliding sash to suit the unique character of your home.



Uw Values from 1.2W/m²K (double glazing)



Wind Load 2400 Pa Tested to perform against winds of 136mph



Water Tightness 400 Pa Tested to withstand driving rain at 55mph

SPIRAL BALANCE

Contemporary | Traditional | Heritage

Choose Your Style

Design

Bespoke sash divides
Both sashes fixed, top/bottom sash fixed
Increased bottom rail
Fully concealed spiral balance detail

Accessories

Ring pulls D handles

Decorative Horns

No horns Horns to top & bottom sashes

Bars

Contemporary: 16mm, 25mm, 35mm (pencil round), 60mm (solid)
Traditional: 16mm (lambs tongue), 25mm, 35mm (ovolo), 48mm (solid)
Heritage: 16mm, 25mm, 35mm (lambs tongue), 48mm (solid)
See pages 36-37 for more info

Vents

Concealed frame head - 4300 EA

Cill

Extensions: 25mm, 47mm, 62mm, 87mm, 100mm, 114mm, 125mm, 140mm

Glazina









*Only available on Heritage Range

Uw Range

 $0.8 - 1.4 \text{ W/m}^2\text{K}$



Bereco Sliding Sash Spiral Balance Features

Opening Sashes

Both sashes slide vertically with 50/50 sash divide as standard.

Semi-Concealed Spiral Balances

Sensitively designed with semi-concealed spiral balances housed within the frame. Balances available in white, cream, brown and black.

Decorative Horns

Decorative horns are included to top sashes as standard.

Choose from our range of exclusive sash horn designs. (see page 18)

Flush Cill

168mm sole section on Contemporary and Traditional and a 140mm sole section on Heritage Range from front to back. Includes internal window board groove.

⊘ Sash Restrictor

Ventlock (key locking) sash restrictors are included as standard to all Bereco Contemporary and Traditional sash windows.

Push button ventlocks and Angel Ventlocks are also available.

Heritage Range includes Heritage sash restrictor.

⊘ Sash Fittings

Sash fasteners, sash lifts and sash restrictors are included as standard.

CORDS & **WEIGHTS**

Choose Your Style

Design

Bespoke sash divides Both sashes fixed, top/bottom sash fixed. Increased bottom rail

Simplex fittings allowing easy cleaning.

Accessories

Ring pulls D handles

Decorative Horns

No horns

Horns to top & bottom sash

Contemporary: 16mm, 25mm, 35mm (Pencil Round), 60mm (Solid) Traditional: 16mm (Lambs Tongue), 25mm, 35mm (Ovolo), 48mm (Solid) Heritage: 16mm, 25mm, 35mm (Lambs Tongue), 48mm (Solid) See pages 36-37 for more info

Concealed frame head - 4300 EA

Cills

Extensions: 25mm, 47mm, 62mm, 87mm, 100mm, 114mm, 125mm, 140mm









Triple Acoustic





*Only available on Heritage Range

Uw Range

 $0.8 - 1.4 \text{ W/m}^2\text{K}$



Bereco Sliding Sash Features

Opening Sashes

Both sashes slide vertically with 50/50 sash divide as standard.

✓ Traditional Pulley & Weights

An authentic pulley and weights system featuring round end pulley wheels and cotton sash cords allowing window heights of up to 3m.

Decorative Horns

Decorative horns are included to top sashes as standard. Choose from our range of exclusive sash horn designs. (see page 18)

⊘ Flush Cill

168mm sole section on Contemporary and Traditional and a 140mm sole section on Heritage Range from front to back. Includes internal window board groove.

Sash Restrictor

A sash restrictor as standard provides child safety. Choose from Ventlock (key locking) or Angel Ventlock (push button). Heritage Range includes Heritage Sash Restrictor.

⊘ Sash Fittings


Sash fasteners, sash lifts and sash restrictors are included as standard.

Image Shows: Traditional Sliding Sash Cords & Weights | 25mm Ovolo Bar Polished Chrome Fitch Fasteners & Hook Lifts

Sliding Sash Details

Popular Styles

A selection of popular bar patterns



Fasteners & Accessories

Sash Fasteners

Contemporary, Traditional & Heritage | Locking, Non-Locking

FITCH FASTENER





Bronze



Rumbled



Antique



Polished Rumbled

BRIGHTON FASTENER







Sash Lifts

Sash Restrictor

VENTLOCK





Polished

Satin







Rumbled

ANGEL VENTLOCK



Antique





Polished Rumbled






Sliding Sash Details

Bereco have over a decades experience in supplying timber sash windows for properties governed by the requirements of conservation. We offer traditional curves and arches on our frames, our glazing and our glazing bars and offer a choice of 7 sash horn designs that provide a perfect match to the existing design of any building.

Horn Collection




Classic *Standard Contemporary



Belsay *Standard Traditional & Heritage

Exclusive Horn Collection

Available on Traditional & Heritage Range



Bespoke Styles









Feature Fanlight

Whether arched head or square, fanlights provide a feature and are ideal for large openings. Georgian bars have been designed to line through with the sash window below.

Curved On Plan

With Bereco curved on plan sash windows the window frame including head and sole; the opening sashes and the glass are all curved.

Head Facing Curved


Suitable for reveal situations, allowing a square head window to sit behind a curved outer skin. The sash mirrors the outer curve in order to appear as a curved head externally.


Curved Head


Curved head windows give a touch of elegance to a property. Our sliding sash windows can be arched to suit the radius of the opening.

Sliding Sash Sections


Contemporary Sliding Sash










Traditional Sliding Sash











Acoustic Sliding Sash


Contemporary / Traditional Only







Heritage Sliding Sash

SlimLine Glazing (Single Glazing Available On Request)









✓ Flush Design

The door leaf sits flush with the frame externally to create a seamless finish.

⊘ Multi-Point Espagnolette

3 point handle operated espagnolette: To lock the door the handle is lifted which engages the espagnolette hooks with the keepers. The cylinder is then locked with a key which engages the third locking point.

Robust Hinges

Fully adjustable hinges SFS - Just 3D (stainless steel).

⊘ Security

ERA Fortress 3 Star Sold Secure Diamond rated cylinder.

Threshold

Stormguard aluminium + 140mm hardwood threshold.

Quality Handles

Choose from a selection of Euro lever handles styles in up to 10 finishes.

⊘ Combining Colour

Choose from single colour, dual colour or different colours for the door frame and door leaf.

Image Shows: Entrance Door: H4 With Cylinder Pull Polished Chrome Victorian Letterplate + Ring Knocker



Design a unique statement entrance with a completely bespoke entrance door from Bereco supplied pre-hung ready for installation.

At the forefront of home security and the epitome of style, all Bereco doors include multi-point espagnolette locking and feature an ERA Fortress 3 Star Neighbourhood Watch approved cylinder for complete peace of mind. With a door leaf thicknesses (68mm) nearly an inch deeper than standard products available on the market, the reassuring solid quality feel is unparalleled.



Ud Values from 1.3W/m²K (double glazing)



Wind Load 800 Pa Tested to perform against winds of 78mph



Water Tightness 600 Pa Tested to withstand driving rain at 68mph

CLASSIC ENTRANCE DOORS

Choose Your Style

Design

Bespoke designs Choice of 2 panel designs (See page 28) Double door Inward or outward opening

Mechanism

3 point key operated espagnolette

SFS - Just 3D 4th hinge for doors over 2200mm (h)

Accessories

Thumb-turn cylinder Keyed alike A range of accessories in matching finishes

Contemporary: 16mm, 25mm, 35mm (pencil round), 60mm (solid) Traditional: 16mm (lambs tongue), 25mm, 35mm (ovolo), 48mm (solid) See pages 36-37 for more info

Threshold

Stormguard aluminium (mobility) Matt aluminium/matt gold

Threshold + extension: 25mm, 47mm, 62mm, 87mm, 100mm, 114mm, 125mm, 140mm







Ud Range

 $0.9 - 1.4 \text{ W/m}^2\text{K}$





Bereco's collection of Creative Entrance Doors are minimalist in design and feature sharp lines and flush panels that provide an ultra modern, industrial feel.

Thermally insulated panels with fibreglass reinforcements and aluminium stabilisation layers ensure the highest levels of home security and thermal performance.

To complement these contemporary doors why not team them with our selection of Italian designer door furniture.



Ud Values from 0.99W/m²K



Wind Load 800 Pa Tested to perform against winds of



Water Tightness 600 Pa Tested to withstand driving rain at 68mph

CREATIVE ENTRANCE DOORS

Choose Your Style

Design

Choose from 10 door styles (see page 28) Double door Inward or outward opening

Mechanism

3 point handle operated 3 point handle + key operated

SFS - Just 3D

4th hinge for doors over 2200mm (h)

Accessories

Thumb-turn cylinder Keyed alike A range of accessories in matching finishes

Contemporary - 16mm, 25mm, 35mm (pencil round), 60mm (solid) See pages 36-37 for more info

Threshold

Stormguard aluminium (mobility) Matt aluminium/matt gold

Threshold + E=extension: 25mm, 47mm, 62mm, 87mm, 100mm, 114mm, 125mm, 140mm

Glazing





Ud Range

0.99 W/m²K



Bereco Creative Entrance Door Features

⊘ Flush Design

The door leaf sits flush with the frame to create a seamless finish.

⊘ Smartline Groove

Designs are achieved with a flush insulated panel utilising smartline grooves in a variety of designs.

✓ Multi-Point Espagnolette

3 point key operated espagnolette where the latch is operated with the key. To fully lock the door the key is turned to engage the three locking points.

Robust Hinges

Fully adjustable hinges SFS - Just 3D (stainless steel).

⊘ Security

ERA Fortress 3 Star Sold Secure Diamond rated cylinder.

✓ Threshold

Stormguard aluminium + 140mm hardwood threshold.

Quality Handles & Accessories

Choose from a selection of cylinder covers and combine with matching pull handles. (See pages 30-31)

⊘ Combining Colour

Choose from single colour, dual colour or different colours for the door frame and door leaf.



Our beautiful collection of French doors are perfect for **opening up your living space** and providing a connection between indoor and outdoor space.

Available in both flush and lipped designs to perfectly complement your window choice, Bereco French doors can be supplied in **single or double leaf configurations** with a variety of sidelights and fanlights.

Customise with panels and bars and a range of distinct ironmongery to achieve your desired home style.



Ud Values from 1.2W/m²K (double glazing)



Wind Load 800 Pa Tested to perform against winds of 78mph



Water Tightness 600 Pa Tested to withstand driving rain at 68mph

FLUSH FRENCH DOORS

Contemporary | Traditional | Heritag

Choose Your Style

Design

Bespoke designs
Choice of 2 panel designs (See page 28)
Inward or outward opening

Mechanism

Double handle operated with handles to both lead and slave leafs.

Hinges

SFS - Just 3D

4th hinge for doors over 2200mm (h)

Accessories

Thumb-turn cylinder Keyed alike

Bars

Contemporary: 16mm, 25mm, 35mm (pencil round), 60mm (solid)

Traditional: 16mm (lambs tongue), 25mm, 35mm (ovolo), 48mm (solid)

Heritage: 16mm, 25mm, 35mm (lambs

tongue), 48mm (solid)

See pages 36-37 for more info

Vents

Frame head - 4300 EA

Threshold

Stormguard aluminium (mobility)

Threshold + extension: 25mm, 47mm, 62mm, 87mm, 100mm, 114mm, 125mm, 140mm

Glazing







Double

Triple Aco





.ine* Single

*Only available on Heritage Range

Ud Range

0.9 - 1.4 W/m²K





Bereco Flush French Door Features

✓ Flush Design

The door leaf sits flush with the frame externally to create a seamless finish.

⊘ Multi-Point Espagnolette

3 point handle operated espagnolette with handle to lead leaf as standard. To lock the door the handle is lifted which engages the espagnolette hooks with the keepers. The cylinder is then locked with a key which engages the third locking point.

⊘ Robust Hinges

Fully adjustable hinges SFS - Just 3D (stainless steel).

⊘ Security

ERA Fortress 3 Star Sold Secure Diamond rated cylinder.

✓ Threshold

Stormguard aluminium + 140mm hardwood threshold.

Quality Handles

Choose from a selection of Euro lever handles styles in up to 10 finishes.

⊘ Combining Colour

Choose from single colour, dual colour or different colours for the door frame and door leaf.

LIPPED FRENCH DOORS

Choose Your Style

Design

Bespoke designs Choice of 2 panel designs (See page 28) Inward or outward opening

Mechanism

Double handle operated with handles to both lead and slave leafs.

Hinges

4th hinge for doors over 2200mm (h)

Accessories

Thumb-turn cylinder Keyed alike

Contemporary: 16mm, 25mm, 35mm (pencil round), 60mm (solid) Traditional: 16mm (lambs tongue), 25mm, 35mm (ovolo), 48mm (solid) See pages 36-37 for more info

Vents

Frame head - 4300 EA

Threshold

Stormguard aluminium (mobility)

Threshold + extension: 25mm, 47mm, 62mm, 87mm, 100mm, 114mm, 125mm, 140mm









 $0.9 - 1.4 \text{ W/m}^2\text{K}$



Bereco Lipped French Door Features

✓ Lipped Design

A modern stormproof design where the door leaf lips over the outside edge of the frame.

⊘ Multi-Point Espagnolette

3 point handle operated espagnolette with handle to lead leaf as standard. To lock the door the handle is lifted which engages the espagnolette hooks with the keepers. The cylinder is then locked with a key which engages the third locking point.

Robust Hinges

Fully adjustable hinges SFS - Easy 3D (white, brown, silver).

⊘ Security

ERA Fortress 3 Star Sold Secure Diamond rated cylinder.

Stormguard aluminium + 140mm hardwood threshold.

Quality Handles

Choose from a selection of Euro lever handles styles in up to 10 finishes.

⊘ Combining Colour


Choose from single colour, dual colour or different colours for the door frame and door leaf.

Image Shows: Traditional Lipped French Doors | Single Handle 16mm Lambs Tongue Bar | Polished Chrome Balmoral Handle.


Entrance & French Door Sections

Traditional Heritage Flush Contemporary **Traditional** Contemporary Flush Open In Flush Open Out **Lipped Open Out** Lipped Open In Open Out

Jamb Section




Single Handle





Double Handle



Cill Extensions


















Entrance Door Details

Popular Styles

Classic Doors



Creative Doors




French Door Details

Popular Styles



Entrance & French Door Panels

Raised Contemporary Panel



Sculpted Traditional Panel





Entrance & French Door Ironmongery

Handle Operated





Key Operated

Entrance Door | Creative Door







Polished Chrome













Handle & Key Operated

Creative Door Only













Our unique selection of Italian designer door furniture

Door Accessories

Door Knockers

VICTORIAN URN

























Rumbled





Satin



























Door Knobs

LARGE CENTRE DOOR KNOB (86mm)









Rumbled























Letter Plates

DRAUGHT DODGER LETTER PLATE



VICTORIAN LETTER PLATE















Contemporary Entrance Door | 16mm Bar

LOCKED MEANS LOCKED









Duo / Polished







Entrance Door | Creative Door | French Door











DOCTORS KNOCKER

RING KNOCKER



























OCTAGONAL DOOR KNOB



Bronze















We use only Sustainably Sourced Engineered Defect-Free Timber

Choose Your Timber

We are passionate about timber and only the finest quality, sustainably sourced wood is used in the production of our windows and doors. Wood, not only has a natural beauty but is a natural insulator ensuring that your home is kept snug and warm.

All our timber windows and doors are manufactured using engineered, defect-free timber which not only ensures quality of finish but increases durability and stability.

This engineered timber is known to be 60% stronger than it's solid timber counterparts, resulting in a low maintenance window with an impressive 60 year lifespan.







Redwood - Scandinavian Pine

A popular choice, redwood features a smooth surface, and achieves excellent durability. Perfect for painted finishes.



Hardwood - Dark Red Meranti

Our hardwood comes with full chain of custody. It features a pitted effect surface and a natural red hue to the timber. Perfect for stain finishes.

Choose Your Glazing

The specification of glass can have a dramatic effect on the performance of windows and doors, home comfort and heating costs. Our windows and doors incorporate double glazed units utilising a Softcoat Low-E coating as standard which provides excellent u values.



24MM DOUBLE GLAZING

Contemporary | Traditional

Argon filled as standard offering a centre pane
Ug value as low as 1.0 W/m²K and overall
Uw values of 1.2 W/m²K



35MM TRIPLE GLAZING

Contemporary | Traditional

Argon filled as standard, with Krypton filled units available offering centre pane Ug values as low as 0.5 W/ m^2K and overall Uw values of 0.8 W/ m^2K (Krypton).



24MM & 35MM ACOUSTIC DOUBLE GLAZING

Contemporary | Traditional

Reduce noise levels in the home without compromising on style. 24mm acoustic glazing with overall window ratings up to 38dB and 35mm up to 42dB.



14MM SLIMLINE DOUBLE GLAZING

Heritag

This unrivalled krypton filled glazing unit mimics the appearance of single glazing whilst offering improved thermal performance with 8mm warm edge spacers as standard and centre pane Ug values of 1.2 W/m²K and overall Uw value of 1.3 W/m²K.



4MM SINGLE GLAZING

Heritage

We offer 4mm single glazed units, perfect for homes under strict conservation requirements.

DIAMANT GLASS

Extra clear Diamant glass with low solar gain is available on request.

SPACER BARS

Spacer bars can be seen around the perimeter of the glazing. Choose from a wide range of colour options. Warm edge spacers available in white, black, brown and grey can reduce ug values to as low as 1.0 W/m^2K which will significantly reduce home heating costs.









Grey


Choose Your Mouldings & Bars



Contemporary

Our Contemporary Range features simple lines and shapes including internal pencil round mouldings.






Contemporary Internal

Contemporary External

Pencil Round Bars

16mm, 25mm, 35mm 60mm (Solid)



Traditional

Our Traditional Range features internal ovolo beading and external putty line sash mouldings to enhance the character of your home.






Traditional Internal

Traditional & Heritage External

Ovolo Bars

16mm (Lambs Tongue), 25mm, 35mm (Ovolo) | 48mm (Solid)



Heritage

Our Heritage Range incorporates period aesthetics such as internal lambs tongue profile glazing beads and external putty line style to mirror distinctive features of original timber windows.






Heritage SlimLine Internal

Heritage Single Internal

Lambs Tongue Bars

16mm, 25mm, 35mm 48mm (Solid)



www.bereco.co.uk



Choose Your Finish

In design it is often the subtle, finer touches that can dramatically transform the appearance of your home. The beauty of wood is that you can be adventurous in your choice of colour and accessorise to your hearts content with traditional and contemporary ironmongery styles.

Ask our sales team about our exclusive paint and stain booklets containing an impressive range of timber colour swatch samples.

Paint & Stain Finishes

Choose from RAL, BS and NCS paint finishes to find the colour that is right for you and your home. If you prefer to allow the natural character, grain and beauty of the timber shine through, choose from our range of 16 translucent stain finishes.

Dual Finish

Choose a different colour inside and out to match the finish of both the external façade and interior decor of your home.

Colour Matching

To acheive a timeless finish our colour matching service allows you to choose from the vast range of 132 Farrow & Ball finishes. Also available on dual finish.

Customised Finish

Our factory painting process allows you to select contrasting finishes to the frame and sash/leaf. Try colour matching your door frame to your window finish or go bold with your door leaf.



Be Bold

Be bold with colour to show your personality and create kerb appeal. Opt for a contrasting door leaf and match the door frame to your windows.




Go Greyscale


Grey is a colour that represents peace and balance. It is calm and safe, practical, simple and reliable. It is the perfect neutral.





Popular Pastels





Heritage Colours





Customise With Glazing & Bars

Bespoke Designs

Your dedicated technical project manager will provide design advice and specialist CAD drawings at order stage.





Coloured & Bevelled

Matching existing styles is made possible with a range of coloured and bevelled glass options.







Leaded Designs

We can offer completely bespoke lead patterns in 6mm & 9mm Antique Black, Silver & Gold.









Privacy


The ideal way to increase privacy in the home, our obscure glazing patterns are available in a range of designs offering varying privacy levels (rated 1-5 with 5 being the highest obscurity level). S = 4mm Standard Float Glass T = 4mm Toughened Glass L = 6.4mm Laminated Glass











Stippolyte - 4 S,T

Niagara - 5 S,T

Cotswold - 5 S,T

Kocie - 4 S,T

Chinchilla - 3 S,T



Kora - 4 S,T




Delta - 5 S,T


Our Showroom | Choose Your Style | Finishing Touches

Finishing Touches

Our Showroom



Colour match your internal finishes with our range of factory finished redwood or hardwood trims.



Get in touch

Come and visit our showroom where our highly experienced staff will be happy to guide you through choosing your new bespoke timber windows and doors.

Find Bereco on social media



@berecowindows

01709 838188 info@bereco.co.uk

Bereco Group Unit 4-5 Aspen Court Centurion Business Park Bessemer Way Rotherham

S60 1FB











